



ROI
Burst
Saturation
Cold (>10%)
Hot (>25%)
Others

10⁹
10⁸
10⁷
10⁶
10⁵
10⁴
eV/(cm² s sr eV)

Saturation
Radiation
Hot (>25%)
Others

10⁸
10⁷
10⁶
10⁵
10⁴
eV/(cm² s sr eV)

10²
10¹
10⁰
10⁻¹
MMS4_EDP
s/c pot
[-V]

10⁻¹⁰
10⁻¹²
10⁻¹⁴
10⁻¹⁶
(V/m)² Hz

V_x
V_y
V_z
|B|
B_x
B_y
B_z

GSMX [R _E]	8.8613	8.6174	8.3670	8.1098	7.8451	7.5727	7.2919	7.0021	6.7026	6.3927	6.0713	5.7376	5.3901
GSMY [R _E]	-1.0579	-0.9142	-0.7691	-0.6226	-0.4748	-0.3259	-0.1760	-0.0254	0.1258	0.2772	0.4284	0.5790	0.7283
GSMZ [R _E]	2.4719	2.4564	2.4389	2.4190	2.3964	2.3709	2.3420	2.3093	2.2723	2.2307	2.1838	2.1310	2.0716
hhmm	0000	0010	0020	0030	0040	0050	0100	0110	0120	0130	0140	0150	0200